
INTRALUX GRIPFIT®

INTRV.



INTRALUX GRIPFIT®

A ramped, surface-mounted mat frame compatible with our core INTRAlux® barrier Matting fibres. Designed for rapid installation and minimal impact on existing flooring, with invisible fixings and no need for adhesive.

- Hard-wearing aluminium frame
- Quick and easy installation
- Perfect for retrofitting
- Safer than loose mats
- Wheel-friendly
- 100% recycled



Zonal
Options



Strength
Rating



10 Year
Warranty

ECONYL®
100% Regenerated Nylon

PUREBASE®



SPECIFICATION

GRIPFIT®

Product Reference	Gripfit® Surface Mounted Entrance Matting Solution
Strength Rating	High - for use in high traffic areas and suitable for all wheeled traffic including trolleys and forklifts
Typical Application	High Traffic locations such as Public Buildings, Commercial Offices, travel termini etc
Sustainability	100% recycled aluminium. All inserts recyclable/re-usable 100% Econyl Fibre (Premier and Elite)
Design Options	Mid range of design options available
Slip Rating	Will vary with insert, in excess of PTV 38
Warranty	5 years

CORNER OPTIONS



Gripfit® black corner



Gripfit® grey corner




Gripfit® ramp edge

DIMENSIONS

Height	7.5mm
Base profile length	1910mm
Cover profile	945mm
Corner section	55x55mm

Allow 10mm for the base trim to fit in.


PROFILE




COMPATIBLE BARRIER FIBRE OPTIONS

INTRAlux® Elite

Recommended for effective scraping and dirt removal




608 Black 607 Anthracite 606 Grey 609 Purple 602 Blue




610 Turquoise 605 Brown 604 Coco 601 Red

INTRAlux® Linear



443 Anthracite 451 Grey

INTRAlux® Select




207 Grey 208 Black

INTRAlux® Ultimate

Recommended for rapid moisture absorption



906 Night Sky 907 Anthracite 910 Stone 912 Lichen 913 Forest Green



905 Truffle 904 Sandstone 914 Terracotta 901 Ruby





ENVIRONMENT & SUSTAINABILITY

INTRAsystems has an undeviating commitment to act responsibly in its care of the environment. Working on key projects throughout the UK and Europe, the company is familiar with all environmental ratings such as Ska, BREEAM and WRAP to help clients achieve, and exceed, their sustainability goals.

We are ISO 14001 accredited and all production processes are managed in accordance with the Waste Management Act, with a clear goal to 'reduce the production of waste and its harmful effects.' INTRAsystems regularly reviews its wider operations to minimise negative environmental impacts.

Our Environmental Sustainability Statement sets clear targets for ongoing improvement to ensure the company continues to play its part in helping tackle the climate crisis. Environmental credentials for each fibre option are provided and highlighted throughout this brochure.



BREEAM®

ECONYL®

Benefits of specifying ECONYL® fibre

ECONYL® is regenerated nylon that would otherwise pollute the Earth. It is the same as brand new nylon and can be infinitely recycled, recreated and remoulded. ECONYL® is Cradle-to-Cradle certified and therefore our fibres are eligible for LEED® v4 points, as part of the LEED green building rating system.

PUREBASE®

Benefits of specifying PureBase backing

PureBase is a new, PVC-free backing material for entrance matting. It has a significantly lower environmental impact in terms of production processing, greenhouse gas emissions and end of life waste disposal. PureBase is 20% lighter and 3 x more flexible for easier handling and installation.



Find us on:  NBS



INTRA.
SYSTEMS

6 COBHAM ROAD, WIMBORNE, DORSET, BH21 7PE
01425 472000 INTRASYSTEMS.CO.UK

INTRALux Gripfit V1.3